

# Vinyl Windows and Doors





# Contents

Gentry Series 5400 Windows	04
Gentry Series 5900 Sliding Doors	16
Crown Series 5300 Windows	18
Crown Series 5365 Deluxe Retro-fit Windows	24
Crown Series 5800 Sliding Doors	28
Lanai Series 5000 / 5100 Hinged Doors	30
Lanai Series 5600 Sliding Doors	34
Product Hardware	36
Grid and Glass Options	38
Warranty Page	40

For technical data on all of our vinyl products, please visit our website [www.intlwindow.com](http://www.intlwindow.com)






# GENTRY

## Series 5400 Windows

The Gentry Series is the most complete vinyl line on the market today. This line includes a selection of horizontal sliding, single hung, double hung, casement, awning, picture window, bay, bow to match 3/4" dual glazing standard or optional 1-1/8" triple glazing and four frame mounting options offer an ideal solution for either new construction or replacement projects. See Warranty for glass breakage details.

Choice of these popular finishes with matching hardware keep lead times to a minimum.



Desert Sand Vinyl



White Vinyl

Colors shown are approximate due to printing limitations.



## GENTRY SERIES 5400 Hinged Window Configurations

---

Butt hinges and multi point hardware are standard for awning and casement windows. Both window styles feature nesting hardware that offers a smooth operation, more contemporary and integrated look so that the folding handle recesses in the operator cover. 3-1/4" width frame with 1" dual glazing standard and Low E glass is standard in all of our products or upgrade to our Extreme Low E glass. Several decorative glass options are also available to enhance the decor and design of your home. 1-1/8" overall triple glazed option available.


### Awning

Hung horizontally, hinged on top and swings outward, providing optimal ventilation and constant airflow with protection from the elements. Several configurations are available for architectural enhancements to your home.



### Casement

Hinged on the side, swings outward like a door, providing excellent air circulation. The sitelines are architecturally appealing for any style of home.



## FRAME TYPES FOR EVERY PROJECT



1" Nail-On Frame



1 3/8" Nail-On Frame




Block Frame




Flush-Fin Frame (retro-fit)

## TRIPLE GLAZED DESIGN



- 3 pieces of glass in the insulated unit
- 2 pieces of High Performance Low E Glass
- Optional number 6 surface Low E Glass










## GENTRY SERIES 5400 Double Hung Configurations

---



- Even site lines.
- Both vents tilt in for ease of cleaning.
- Low profile latch integrated into double walled pull rail for a clean modern look.
- Hold open feature makes it easy to spot an unlatched window.
- Pull rail runs full length for easy operation.
- 3/4" dual standard glazing with choice of Low E or Extreme Low E glass. Optional 1-1/8" triple glazing.
- 3-1/4" Frame.

## GENTRY SERIES 5400 Picture Window Configurations

---

We offer many shapes and configurations to enhance the architectural beauty of your home



## GENTRY SERIES 5400 Horizontal Sliding Configurations

---




XOX



XOX / XOX



OOO / XOX




O / XOX




XO



OX



XO / XO



OX / OX



OO / XO



OO / OX



O / XO

- Even site lines.
- Sleek low profile latch with “hold open” feature to easily spot an unlatched window.
- Latch is integrated into a double walled full length pull rail with finished end caps for a clean modern look.
- Pull rail runs full length for easy operation.
- Oversized rollers with stainless steel axles to provide a smooth gliding window with improved operating force.
- Rollers have a 3 position height adjustment to custom fit the installation.
- 3/4” dual standard glazing with choice of Low E or Extreme Low E glass. Optional 1-1/8” triple glazing.
- 3-1/4” Frame.



## GENTRY SERIES 5400 Single Hung Configurations

Both side load and tilt In styles feature a sleek low profile latch integrated into a double walled pull rail for a clean modern look that does not interfere with the even site lines. The hold open feature makes it easy to spot an unlatched window and the full pull rails are designed for ease of operation. 3-1/4" width frame with 3/4" dual glazing standard and Low E glass is standard in all of our products or upgrade to our Extreme Low E glass. Several decorative glass options are also available to enhance the decor and design of your home. 1-1/8" overall triple glazed option available.


### Side Load Single Hung

Features anti-lift sash blocks and oversized guides for easy vent removal and cleaning



### Tilt In Single Hung

Tilt in design allows for easy cleaning and inverted balance with built in shoe for easy vent removal.









# GENTRY

Series 5900 Sliding Patio Doors

## GENTRY SERIES 5900 Sliding Door Configurations

---

2 Panel Doors



XO

OX

3 Panel Doors



OXO

XOO

OOX

4 Panel Doors



OXXO

XOOX

## Energy Efficient, Durable and Secure

- 3/4" dual glazing standard with choice of Low E or Extreme Low E glass.
- Heavy multi-chamber 5-1/2" width frame with full miter welded frame and sash.
- 1-3/8" and 1" Nail On, Flush Fin and Block frame options.
- 2-1/4" extruded stile and rails.
- Premium adjustable tandem rollers.
- Aluminum extruded track with stainless steel cap.
- Door is reversible in the field. (6'8" Height)
- Available in White or Desert Sand with matching "C" handle.






# CROWN

## Series 5300 Windows

The Crown 5300 Series is designed for strength, durability and performance with standard 3/4" dual glazing and a multi chambered frame with welded corners and steel stiffener. The 2-3/4" frame depth simplifies installation and is available in four frame options.

Choice of these popular finishes with matching hardware keep lead times to a minimum.



Desert Sand Vinyl



Mojave Beige Vinyl



White Vinyl

(Ask your Dealer about availability)

Colors shown are approximate due to printing limitations.




**Flush-Fin Frame (retro-fit)**

**Block Frame**

**1" & 1-3/8" Nail-On Frame**

Multiple window frame profiles are available on Crown products. Four styles of frames are available to meet various applications. The flush fin frame is utilized for replacement of your outdated windows. The block frame is utilized for replacement or new construction applications. The nail-on fin frame is most commonly utilized for new construction applications.



- 1. 3/4" Dual Glazing Standard
- 2. Full Welded Frame & Sash
- 3. Steel Stiffener
- 4. Multi-Chamber Frame



# CROWN SERIES 5300 Window Configurations

## Horizontal Sliding and Single Hung Windows

### Horizontal Sliding



OX

XOX

OX / O

- Positive action lock.
- Removable vent sash for cleaning.
- Anti-lift.
- 3/4" dual standard glazing with choice of Low E or Extreme Low E glass.
- Multi chambered 2-3/4" frame with welded corners and steel stiffener provides durability and ease of installation.

### Single Hung



1/1

1/1 by 1/1

Combo Units

- Positive action lock.
- Removable vent sash for cleaning.
- 3/4" dual standard glazing with choice of Low E or Extreme Low E glass.
- Multi chambered 2-3/4" frame with welded corners and steel stiffener provides durability and ease of installation.

## Awning and Casement Windows

### Awning



Type "A"

Type "2A"

Type "BA"

- Shaft operator system with sash hinges.

### Casement



Type "CR"

Type "2C"

Type "CFC"

- Concealed offset hinges for ease of cleaning.

## Picture and Specialty Windows

### Picture



Rectangle or Square

Round

Rake

### Bay and Bow



Bay

Bow









# CROWN

## Series 5365 Deluxe Retro-fit Windows

Narrow dual wall flush fin with a continuous water diversion channel integrated into the entire perimeter frame makes this an ideal replacement window.

Choice of these popular finishes with matching hardware keep lead times to a minimum.



Desert Sand Vinyl



White Vinyl

Colors shown are approximate due to printing limitations.




## CROWN SERIES 5365 Deluxe Retro-Fit Window Configurations

The 5365, available in our most popular operating styles with standard 3/4" dual glazing is designed specifically for retro-fit projects. Example configurations for each operating style are shown below. Contact your dealer for custom options for your project.

Horizontal Sliding



Single Hung



Picture



## Style and Quality

- Standard 3/4" dual glazing with choice of Low E or Extreme Low E glass.
- Pull rail runs full length for easy operation.
- Contemporary style positive action lock.
- Anti-lift.
- Easy installation with included mounting fasteners and plugs.
- Even site line option.
- Removable track and vent sash allows easy cleaning and maintenance.
- Attractive exterior detail.
- Premium adjustable tandem rollers ensure smooth operation.




# CROWN

## Series 5800 Sliding Patio Doors

### CROWN SERIES 5800 Sliding Door Configurations

---

#### 2 Panel Doors



#### Style and Quality

- 3/4" dual glazing standard with choice of Low E or Extreme Low E glass.
- Heavy multi-chamber full miter welded frame and sash with steel stiffener.
- Choice of 4-1/2" and 5-1/2" frame depth.
- Available in 1-3/8" and 1" Nail On, Flush Fin Adaptor and Block Frame.
- Aluminum extruded track with stainless steel cap.
- Adjustable tandem rollers.
- Available in White, Desert Sand and Mojave Beige with matching "C" handle.






# LANAI

## Series 5000 Out Swing / Series 5100 In Swing Doors

The architectural beauty of our Lanai vinyl doors provide endless opportunities to enhance and compliment the design of your home. Lanai Hinged doors are designed for performance and durability. IWC's Lanai door panels are reinforced with an extruded aluminum core and mechanically joined corners for added strength and durability

Choice of these popular finishes with matching hardware keep lead times to a minimum.



Desert Sand Vinyl



White Vinyl

Colors shown are approximate due to printing limitations.





## In Swing and Out Swing Hinged Door Operating Styles

---

### Single, French and Doors with Equal Fixed Sidelites

Single Door



AR

French Door



AI

Door with Sidelite



ALSR

French Door with Sidelite



ALSLSR

Door with Sidelite



AISLSR

### Doors with Operable Sidelites

Door with Active Sidelite



French Door with Active Sidelite



Door with Active Sidelite



Door with Active Sidelite



French Door with Active Sidelite



Door with Active Sidelite



Outswing have casement operators, inswing have thumb pull for ease of operation

- 1" Nail On, Flush Fin or Block Frame options.
- Continuous welded frame with aluminum reinforced subframe.
- True stile and rail sash construction for a traditional french door appearance.
- 5 1/2" Frame Width.
- 10" bottom rail and low profile threshold available.
- Operable sidelights with casement operators and standard hardware available.
- Handle styles and optional finishes to enhance the beauty of your home see page 37.
- Four way adjustable hinges, to ensure ease of installation and operation.



# LANAI

## Series 5600 Sliding Patio Doors

### LANAI SERIES 5600 Sliding Door Configurations

---

2 Panel Doors



XO

OX

3 Panel Doors




OXO

XOO

OOX

4 Panel Doors



OXXO

XOOX

### Energy Efficient, Durable and Secure

- 3/4" dual glazing standard with choice of Low E or Extreme Low E glass.
- Heavy multi-chamber 5-15/16" width frame.
- Continuous welded frame with aluminum reinforced subframe.
- Full miter welded frame with a true stile and rail sash.
- Aluminum extruded track with stainless steel cap.
- 1-3/8" Nail On, Flush Fin Adaptor and Block frame options.
- Heavy duty adjustable tandem rollers.
- Multi-point locking system.
- Available in White and Desert Sand with matching attractive "C" handle.

## Product Hardware – Window Latches



White

Desert Sand

### Gentry 5400 - Sleek Low Profile Latch

The 5400 window latch is designed with one simple movement and has a sleek, low profile design for a streamlined look. The window lock is difficult to view from the exterior, creating a streamlined look and increased security.



White

Desert Sand

Mojave Beige

### Crown 5300 - Low Profile Positive Action Latch

This window latch combines beauty, ease and security. Simply close and lock the window in one action. If the window is closed, it's locked. The latch meets the California forced entry code, one of the toughest residential forced entry codes in the nation.

# Product Hardware – Door Handles


## Gentry, Crown and Lanai Sliding Doors

- Standard Hardware:



## Lanai Hinged Doors - Standard Hardware:

Desert Sand and White



## Optional “A” Hardware






## Grid Options


Select sculptured or flat grid designs in a variety of patterns for custom looks.



3/4" Flat Internal Grid



1" Sculptured Internal Grid



1-3/16" SDL (Simulated Divided Lite)  
Grid Bar with Internal Shadow Bars

## Typical Grid Patterns

---

Some of the more common patterns shown. Custom patterns available.



Colonial



Perimeter



Cottage



Sunburst



Wagon Wheel

## Decorative Glass Options

---

Light and privacy with textured and tinted glass. Some of our popular choices:



Gray



Bronze



Satin Etched



Narrow Reed



Obscure



Rain



Delta Frost



Glue Chip

## Additional Glass Options

---

All windows and doors have standard dual glazing with choice of Low E or Extreme Low E glass, plus these additional glass options.

**LAMINATED GLASS:** Two pieces of glass with an inner layer of transparent plastic for safety and sound reduction.

**TEMPERED GLASS:** Strong, break-resistant safety glass. Breaks into small pieces when shattered.

**ARGON GAS:** An inert, non-toxic gas used in insulating glass units to reduce heat transfer.

**ENERGY SHIELD XTREME GLASS:** Blocks more heat and ultraviolet light.

**ILE GLASS:** A hard coat of Low E on the 4th surface.

Our Lifetime Warranty program is to help assure you, our valued customer, that International Window stands behind its products. For more information regarding the International Window Lifetime Warranty, please contact your authorized International Window Dealer or visit our website at [www.intlwindow.com](http://www.intlwindow.com). International Window appreciates your interest in our products and will continue to make strides to provide you with the highest quality and value.



## LIFETIME WARRANTY\*

International Window Company (IWC) warrants its window and door products to be free from defects in material or workmanship that significantly impair their proper operation for the lifetime of your home for as long as you own it.

### Coverage:

The lifetime coverage of this warranty applies to original owners of single-family homes and owners of single-family homes who purchase IWC products for remodeling or replacement. Proof of purchase and of continuous ownership will be required.

\*For commercial buildings, multi-family dwellings, apartments and other types of buildings, the warranty period shall be ten (10) years following the date of purchase.

\*For Jalousie products, the warranty period shall be ten (10) years following the date of purchase.

### Coverage for Glass Breakage:

For Gentry 5400 Series products only, the Lifetime Warranty will extend to glass breakage, including tempered glass, unless attributable to acts of nature, (e.g. hurricane, fire, etc.) building settling, vandalism, civil disorder, structural failures of walls or foundation or improper installation, storage, applied films or handling. Specialty glass such as Laminated, V-Groove, etc. are not covered under this glass breakage warranty. This glass breakage warranty applies to products sold after October 1, 2015.

### Limitations:

This warranty is limited, may not be assigned or transferred and does not include component failure due to improper installation, application or use, abuse, abnormal stresses due to vibration, heat and settlement, or acts of God. IWC is not liable for natural weathering of exterior finishes or for corrosion in highly corrosive environments. All glass warranties are void if any sun control film is applied to the glass surface. Insulating unit seal failure resulting from glass breakage is also not covered.

### Remedy:

IWC will, at its sole discretion, repair or replace free of charge, including parts and labor, any window or door proven to be defective in material or workmanship during the applicable warranty period. If IWC is unable to provide replacement, or if repair is not commercially practical, IWC will refund the original purchase price.

### Claims:

To claim service under this warranty, the homeowner shall provide written notification of the defect along with dated proof of purchase and proof of original home ownership to your nearest IWC facility or authorized IWC dealer. IWC reserves the right to conduct an on-site inspection of defective products in place and as originally installed.

### Other Conditions:

THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER ORAL OR WRITTEN WARRANTIES, LIABILITIES OR OBLIGATIONS. IN NO EVENT SHALL IWC BE LIABLE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES OF ANY KIND, INCLUDING ANY DAMAGE TO THE BUILDING, ITS CONTENTS OR ANY PERSON THEREIN, RESULTING FROM THE BREACH OF ANY WARRANTY SET FORTH HEREIN. SOME STATES DO NOT ALLOW LIMITATIONS ON OR THE EXCLUSION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE EXCLUSIONS MAY NOT APPLY TO YOU!

This limited warranty gives you specific legal rights, and you may also have other rights that vary from state to state.

This warranty applies to products sold after July 1, 2011.

### International Window Company

Northern California: 1-800-624-0990

Southern California: 1-800-477-4032