

INTERNATIONAL WINDOW CORPORATION

Qualifying Products For Stimulus Tax Credit

Series		Spacer	Type of Glazing		U-Factor	SHGC	Visible Light
5320	Awning Window 3/4" IG	Steel	SS EnergyShield / SS Clear	With Argon	0.28	0.26	0.49
				Sculptured Grid with Argon	0.28	0.22	0.40
				Flat Grid with Argon	0.28	0.24	0.44
5320	Awning Window 3/4" IG	Steel	DS EnergyShield / DS Clear	With Argon	0.28	0.26	0.48
				Sculptured Grid with Argon	0.29	0.22	0.39
				Flat Grid with Argon	0.28	0.24	0.44
5320	Awning Window 3/4" IG	Steel	3/16 EnergyShield / 3/16 Clear	With Argon	0.29	0.26	0.47
5320	Awning Window 3/4" IG	Steel	SS EnergyShield Xtreme / SS Clear	With Argon	0.28	0.20	0.38
				Sculptured Grid with Argon	0.28	0.17	0.31
				Flat Grid with Argon	0.28	0.18	0.34
5320	Awning Window 3/4" IG	Steel	DS EnergyShield Xtreme / DS Clear	With Argon	0.28	0.20	0.38
				Sculptured Grid with Argon	0.29	0.17	0.31
				Flat Grid with Argon	0.28	0.18	0.34
5320	Awning Window 3/4" IG	Steel	3/16 EnergyShield Xtreme / 3/16 Clear	With Argon	0.29	0.20	0.37
5320	Awning Window 3/4" IG	Steel	SS Bronze / SS EnergyShield	With Argon	0.28	0.28	0.40
				Sculptured Grid with Argon	0.28	0.23	0.32
				Flat Grid with Argon	0.28	0.25	0.36
5320	Awning Window 3/4" IG	Steel	DS Bronze / DS EnergyShield	With Argon	0.28	0.26	0.36
				Sculptured Grid with Argon	0.28	0.22	0.29
				Flat Grid with Argon	0.28	0.24	0.32
5320	Awning Window 3/4" IG	Steel	3/16 Bronze / 3/16 EnergyShield	With Argon	0.29	0.24	0.31
5320	Awning Window 3/4" IG	Steel	SS Grey / SS EnergyShield	With Argon	0.28	0.24	0.32
				Sculptured Grid with Argon	0.28	0.20	0.26
				Flat Grid with Argon	0.28	0.22	0.29
5320	Awning Window 3/4" IG	Steel	DS Grey / DS EnergyShield	With Argon	0.28	0.26	0.36
				Sculptured Grid with Argon	0.28	0.22	0.29
				Flat Grid with Argon	0.28	0.24	0.32
5320	Awning Window 3/4" IG	Steel	3/16 Grey / 3/16 EnergyShield	With Argon	0.29	0.22	0.27
5320	Awning Window 3/4" IG	Steel	SS Azuria / SS EnergyShield	With Argon	0.28	0.27	0.44
				Sculptured Grid with Argon	0.28	0.23	0.36
				Flat Grid with Argon	0.28	0.25	0.40
5320	Awning Window 3/4" IG	Steel	DS Azuria / DS EnergyShield	With Argon	0.28	0.25	0.41
				Sculptured Grid with Argon	0.28	0.21	0.34
				Flat Grid with Argon	0.28	0.23	0.37
5320	Awning Window 3/4" IG	Steel	3/16 Azuria / 3/16 EnergyShield	With Argon	0.29	0.24	0.38
5320	Awning Window 3/4" IG	Steel	3/16 Solexia / 3/16 EnergyShield	With Argon	0.29	0.25	0.42
5320	Awning Window 3/4" IG	Super	SS EnergyShield / SS Clear	Air Fill	0.30	0.26	0.49
				With Argon	0.27	0.26	0.49
				Sculptured Grid	0.30	0.22	0.40
				Sculptured Grid with Argon	0.27	0.22	0.40
				Flat Grid	0.30	0.24	0.44
				Flat Grid with Argon	0.27	0.24	0.44
5320	Awning Window 3/4" IG	Super	DS EnergyShield / DS Clear	Air Fill	0.30	0.26	0.48
				With Argon	0.27	0.26	0.48
				Sculptured Grid with Argon	0.28	0.22	0.39
				Flat Grid	0.30	0.24	0.44
				Flat Grid with Argon	0.27	0.24	0.44
				5320	Awning Window 3/4" IG	Super	3/16 EnergyShield Xtreme / 3/16 Clear
5320	Awning Window 3/4" IG	Super	SS EnergyShield Xtreme / SS Clear	Air Fill	0.30	0.20	0.38
				With Argon	0.27	0.20	0.38
				Sculptured Grid	0.30	0.17	0.31
				Sculptured Grid with Argon	0.27	0.17	0.31
				Flat Grid	0.30	0.18	0.34
				Flat Grid with Argon	0.27	0.18	0.34

INTERNATIONAL WINDOW CORPORATION

Qualifying Products For Stimulus Tax Credit

Series		Spacer	Type of Glazing		U-Factor	SHGC	Visible Light
5320	Awning Window 3/4" IG	Super	DS EnergyShield Xtreme / DS Clear	Air Fill	0.30	0.20	0.38
				With Argon	0.27	0.20	0.38
				Sculptured Grid with Argon	0.28	0.17	0.31
				Flat Grid	0.30	0.18	0.34
				Flat Grid with Argon	0.27	0.18	0.34
5320	Awning Window 3/4" IG	Super	3/16 EnergyShield Xtreme / 3/16 Clear	With Argon	0.28	0.20	0.37
5320	Awning Window 3/4" IG	Super	SS Bronze / SS EnergyShield	Air Fill	0.30	0.28	0.40
				With Argon	0.27	0.28	0.40
				Sculptured Grid	0.30	0.23	0.32
				Sculptured Grid with Argon	0.27	0.23	0.32
				Flat Grid	0.30	0.25	0.36
				Flat Grid with Argon	0.27	0.25	0.36
5320	Awning Window 3/4" IG	Super	DS Bronze / DS EnergyShield	Air Fill	0.30	0.26	0.36
				With Argon	0.27	0.26	0.36
				Sculptured Grid	0.30	0.22	0.29
				Sculptured Grid with Argon	0.27	0.22	0.29
				Flat Grid	0.30	0.24	0.32
				Flat Grid with Argon	0.27	0.24	0.32
5320	Awning Window 3/4" IG	Super	3/16 Bronze / 3/16 EnergyShield	With Argon	0.28	0.24	0.31
5320	Awning Window 3/4" IG	Super	SS Grey / SS EnergyShield	Air Fill	0.30	0.24	0.32
				With Argon	0.27	0.24	0.32
				Sculptured Grid	0.30	0.20	0.26
				Sculptured Grid with Argon	0.27	0.20	0.26
				Flat Grid	0.30	0.22	0.29
				Flat Grid with Argon	0.27	0.22	0.29
5320	Awning Window 3/4" IG	Super	DS Grey / DS EnergyShield	Air Fill	0.30	0.26	0.36
				With Argon	0.27	0.26	0.36
				Sculptured Grid	0.30	0.22	0.29
				Sculptured Grid with Argon	0.27	0.22	0.29
				Flat Grid	0.30	0.24	0.32
				Flat Grid with Argon	0.27	0.24	0.32
5320	Awning Window 3/4" IG	Super	3/16 Grey / 3/16 EnergyShield	With Argon	0.28	0.22	0.27
5320	Awning Window 3/4" IG	Super	SS Azuria / SS EnergyShield	Air Fill	0.30	0.27	0.44
				With Argon	0.27	0.27	0.44
				Sculptured Grid	0.30	0.23	0.36
				Sculptured Grid with Argon	0.27	0.23	0.36
				Flat Grid	0.30	0.25	0.40
				Flat Grid with Argon	0.27	0.25	0.40
5320	Awning Window 3/4" IG	Super	DS Azuria / DS EnergyShield	Air Fill	0.30	0.25	0.41
				With Argon	0.27	0.25	0.41
				Sculptured Grid	0.30	0.21	0.34
				Sculptured Grid with Argon	0.27	0.21	0.34
				Flat Grid	0.30	0.23	0.37
				Flat Grid with Argon	0.27	0.23	0.37
5320	Awning Window 3/4" IG	Super	3/16 Azuria / 3/16 EnergyShield	With Argon	0.28	0.24	0.38
5320	Awning Window 3/4" IG	Super	3/16 Solexia / 3/16 EnergyShield	With Argon	0.28	0.25	0.42
5320	Casement Window 3/4" IG	Steel	SS EnergyShield / SS Clear	With Argon	0.28	0.26	0.49
				Sculptured Grid with Argon	0.28	0.22	0.40
				Flat Grid with Argon	0.28	0.24	0.44
5320	Casement Window 3/4" IG	Steel	DS EnergyShield / DS Clear	With Argon	0.28	0.26	0.48
				Sculptured Grid with Argon	0.30	0.22	0.39
				Flat Grid with Argon	0.28	0.24	0.44
5320	Casement Window 3/4" IG	Steel	3/16 EnergyShield / 3/16 Clear	With Argon	0.29	0.26	0.47

INTERNATIONAL WINDOW CORPORATION

Qualifying Products For Stimulus Tax Credit

Series		Spacer	Type of Glazing		U-Factor	SHGC	Visible Light
5320	Casement Window 3/4" IG	Steel	SS EnergyShield Xtreme / SS Clear	With Argon	0.28	0.20	0.38
				Sculptured Grid with Argon	0.28	0.17	0.31
				Flat Grid with Argon	0.28	0.18	0.34
5320	Casement Window 3/4" IG	Steel	DS EnergyShield Xtreme / DS Clear	With Argon	0.28	0.20	0.38
				Sculptured Grid with Argon	0.29	0.17	0.31
				Flat Grid with Argon	0.28	0.18	0.34
5320	Casement Window 3/4" IG	Steel	3/16 EnergyShield Xtreme / 3/16 Clear	With Argon	0.29	0.20	0.37
5320	Casement Window 3/4" IG	Steel	SS Bronze / SS EnergyShield	With Argon	0.28	0.28	0.40
				Sculptured Grid with Argon	0.28	0.23	0.32
				Flat Grid with Argon	0.28	0.25	0.36
5320	Casement Window 3/4" IG	Steel	DS Bronze / DS EnergyShield	With Argon	0.28	0.26	0.36
				Sculptured Grid with Argon	0.28	0.22	0.29
				Flat Grid with Argon	0.28	0.24	0.32
5320	Casement Window 3/4" IG	Steel	3/16 Bronze / 3/16 EnergyShield	With Argon	0.29	0.24	0.31
5320	Casement Window 3/4" IG	Steel	SS Grey / SS EnergyShield	With Argon	0.28	0.24	0.32
				Sculptured Grid with Argon	0.28	0.20	0.26
				Flat Grid with Argon	0.28	0.22	0.29
5320	Casement Window 3/4" IG	Steel	DS Grey / DS EnergyShield	With Argon	0.28	0.26	0.36
				Sculptured Grid with Argon	0.28	0.22	0.29
				Flat Grid with Argon	0.28	0.24	0.32
5320	Casement Window 3/4" IG	Steel	3/16 Grey / 3/16 EnergyShield	With Argon	0.29	0.22	0.27
5320	Casement Window 3/4" IG	Steel	SS Azuria / SS EnergyShield	With Argon	0.28	0.27	0.44
				Sculptured Grid with Argon	0.28	0.23	0.36
				Flat Grid with Argon	0.28	0.25	0.40
5320	Casement Window 3/4" IG	Steel	DS Azuria / DS EnergyShield	With Argon	0.28	0.25	0.41
				Sculptured Grid with Argon	0.28	0.21	0.34
				Flat Grid with Argon	0.28	0.23	0.37
5320	Casement Window 3/4" IG	Steel	3/16 Grey / 3/16 EnergyShield	With Argon	0.29	0.24	0.38
5320	Casement Window 3/4" IG	Steel	SS Azuria / SS EnergyShield	With Argon	0.28	0.27	0.44
				Sculptured Grid with Argon	0.28	0.23	0.36
				Flat Grid with Argon	0.28	0.25	0.40
5320	Casement Window 3/4" IG	Steel	DS Azuria / DS EnergyShield	With Argon	0.28	0.25	0.41
				Sculptured Grid with Argon	0.28	0.21	0.34
				Flat Grid with Argon	0.28	0.23	0.37
5320	Casement Window 3/4" IG	Steel	3/16 Azuria / 3/16 EnergyShield	With Argon	0.29	0.24	0.38
5320	Casement Window 3/4" IG	Steel	3/16 Solexia / 3/16 EnergyShield	With Argon	0.29	0.25	0.42
5320	Casement Window 3/4" IG	Super	SS EnergyShield / SS Clear	Air Fill	0.30	0.26	0.49
				With Argon	0.27	0.26	0.49
				Sculptured Grid	0.30	0.22	0.40
				Sculptured Grid with Argon	0.27	0.22	0.40
				Flat Grid	0.30	0.24	0.44
				Flat Grid with Argon	0.27	0.24	0.44
5320	Casement Window 3/4" IG	Super	DS EnergyShield / DS Clear	Air Fill	0.30	0.26	0.48
				With Argon	0.27	0.26	0.48
				Sculptured Grid with Argon	0.28	0.22	0.39
				Flat Grid	0.30	0.24	0.44
				Flat Grid with Argon	0.27	0.24	0.44
5320	Casement Window 3/4" IG	Super	3/16 EnergyShield / 3/16 Clear	With Argon	0.28	0.26	0.47
5320	Casement Window 3/4" IG	Super	SS EnergyShield Xtreme / SS Clear	Air Fill	0.30	0.20	0.38
				With Argon	0.27	0.20	0.38
				Sculptured Grid	0.30	0.17	0.31
				Sculptured Grid with Argon	0.27	0.17	0.31
				Flat Grid	0.30	0.18	0.34
				Flat Grid with Argon	0.27	0.18	0.34

INTERNATIONAL WINDOW CORPORATION

Qualifying Products For Stimulus Tax Credit

Series		Spacer	Type of Glazing		U-Factor	SHGC	Visible Light
5320	Casement Window 3/4" IG	Super	DS EnergyShield Xtreme / DS Clear	Air Fill	0.30	0.20	0.38
				With Argon	0.27	0.20	0.38
				Sculptured Grid with Argon	0.28	0.17	0.31
				Flat Grid	0.30	0.18	0.34
				Flat Grid with Argon	0.27	0.18	0.34
5320	Casement Window 3/4" IG	Super	3/16 EnergyShield Xtreme / 3/16 Clear	With Argon	0.28	0.20	0.37
5320	Casement Window 3/4" IG	Super	SS Bronze / SS EnergyShield	Air Fill	0.30	0.28	0.40
				With Argon	0.27	0.28	0.40
				Sculptured Grid	0.30	0.23	0.32
				Sculptured Grid with Argon	0.27	0.23	0.32
				Flat Grid	0.30	0.25	0.36
				Flat Grid with Argon	0.27	0.25	0.36
5320	Casement Window 3/4" IG	Super	DS Bronze / DS EnergyShield	Air Fill	0.30	0.26	0.36
				With Argon	0.27	0.26	0.36
				Sculptured Grid	0.30	0.22	0.29
				Sculptured Grid with Argon	0.27	0.22	0.29
				Flat Grid	0.30	0.24	0.32
				Flat Grid with Argon	0.27	0.24	0.32
5320	Casement Window 3/4" IG	Super	3/16 Bronze / 3/16 EnergyShield	With Argon	0.28	0.24	0.31
5320	Casement Window 3/4" IG	Super	SS Grey / SS EnergyShield	Air Fill	0.30	0.24	0.32
				With Argon	0.27	0.24	0.32
				Sculptured Grid	0.30	0.20	0.26
				Sculptured Grid with Argon	0.27	0.20	0.26
				Flat Grid	0.30	0.22	0.29
				Flat Grid with Argon	0.27	0.22	0.29
5320	Casement Window 3/4" IG	Super	DS Grey / DS EnergyShield	Air Fill	0.30	0.26	0.36
				With Argon	0.27	0.26	0.36
				Sculptured Grid	0.30	0.22	0.29
				Sculptured Grid with Argon	0.27	0.22	0.29
				Flat Grid	0.30	0.24	0.32
				Flat Grid with Argon	0.27	0.24	0.32
5320	Casement Window 3/4" IG	Super	3/16 Grey / 3/16 EnergyShield	With Argon	0.28	0.22	0.27
5320	Casement Window 3/4" IG	Super	SS Azuria / SS EnergyShield	Air Fill	0.30	0.27	0.44
				With Argon	0.27	0.27	0.44
				Sculptured Grid	0.30	0.23	0.36
				Sculptured Grid with Argon	0.27	0.23	0.36
				Flat Grid	0.30	0.25	0.40
				Flat Grid with Argon	0.27	0.25	0.40
5320	Casement Window 3/4" IG	Super	DS Azuria / DS EnergyShield	Air Fill	0.30	0.25	0.41
				With Argon	0.27	0.25	0.41
				Sculptured Grid	0.30	0.21	0.34
				Sculptured Grid with Argon	0.27	0.21	0.34
				Flat Grid	0.30	0.23	0.37
				Flat Grid with Argon	0.27	0.23	0.37
5320	Casement Window 3/4" IG	Super	3/16 Azuria / 3/16 EnergyShield	With Argon	0.28	0.24	0.38
5320	Casement Window 3/4" IG	Super	3/16 Solexia / 3/16 EnergyShield	With Argon	0.28	0.25	0.42
5320	Horizontal Slider Window 3/4" IG	Super	SS EnergyShield / SS Clear	With Argon	0.30	0.30	0.56
				Flat Grid with Argon	0.30	0.27	0.50
5320	Horizontal Slider Window 3/4" IG	Super	DS EnergyShield / DS Clear	With Argon	0.30	0.30	0.56
				Flat Grid with Argon	0.30	0.27	0.50
5320	Horizontal Slider Window 3/4" IG	Super	SS EnergyShield Xtreme / SS Clear	With Argon	0.29	0.23	0.44
				Sculptured Grid with Argon	0.30	0.19	0.35
				Flat Grid with Argon	0.29	0.21	0.39

INTERNATIONAL WINDOW CORPORATION

Qualifying Products For Stimulus Tax Credit

Series		Spacer	Type of Glazing		U-Factor	SHGC	Visible Light
5320	Horizontal Slider Window 3/4" IG	Super	DS EnergyShield Xtreme / DS Clear	With Argon	0.29	0.23	0.44
				Flat Grid with Argon	0.29	0.21	0.39
5320	Horizontal Slider Window 3/4" IG	Super	SS Bronze / SS EnergyShield	Flat Grid with Argon	0.30	0.29	0.41
5320	Horizontal Slider Window 3/4" IG	Super	DS Bronze / DS EnergyShield	With Argon	0.30	0.30	0.41
				Flat Grid with Argon	0.30	0.27	0.37
5320	Horizontal Slider Window 3/4" IG	Super	SS Grey / SS EnergyShield	With Argon	0.30	0.28	0.37
				Flat Grid with Argon	0.30	0.25	0.34
5320	Horizontal Slider Window 3/4" IG	Super	DS Grey / DS EnergyShield	With Argon	0.30	0.30	0.41
				Flat Grid with Argon	0.30	0.27	0.37
5320	Horizontal Slider Window 3/4" IG	Super	SS Azuria / SS EnergyShield	Flat Grid with Argon	0.30	0.28	0.45
5320	Horizontal Slider Window 3/4" IG	Super	DS Azuria / DS EnergyShield	With Argon	0.30	0.29	0.48
				Flat Grid with Argon	0.30	0.26	0.43
5320	Single Hung Window 3/4" IG	Super	SS EnergyShield / SS Clear	With Argon	0.30	0.30	0.56
				Flat Grid with Argon	0.30	0.27	0.50
5320	Single Hung Window 3/4" IG	Super	DS EnergyShield / DS Clear	With Argon	0.30	0.30	0.56
				Flat Grid with Argon	0.30	0.27	0.50
5320	Single Hung Window 3/4" IG	Super	SS EnergyShield Xtreme / SS Clear	With Argon	0.29	0.23	0.44
				Sculptured Grid with Argon	0.30	0.19	0.35
				Flat Grid with Argon	0.29	0.21	0.39
5320	Single Hung Window 3/4" IG	Super	DS EnergyShield Xtreme / DS Clear	With Argon	0.29	0.23	0.44
				Flat Grid with Argon	0.29	0.21	0.39
5320	Single Hung Window 3/4" IG	Super	SS Bronze / SS EnergyShield	Flat Grid with Argon	0.30	0.29	0.41
5320	Single Hung Window 3/4" IG	Super	DS Bronze / DS EnergyShield	With Argon	0.30	0.30	0.41
				Flat Grid with Argon	0.30	0.27	0.37
5320	Single Hung Window 3/4" IG	Super	SS Grey / SS EnergyShield	With Argon	0.30	0.28	0.37
				Flat Grid with Argon	0.30	0.25	0.34
5320	Single Hung Window 3/4" IG	Super	DS Grey / DS EnergyShield	With Argon	0.30	0.30	0.41
				Flat Grid with Argon	0.30	0.27	0.37
5320	Single Hung Window 3/4" IG	Super	SS Azuria / SS EnergyShield	Flat Grid with Argon	0.30	0.28	0.45
5320	Single Hung Window 3/4" IG	Super	DS Azuria / DS EnergyShield	With Argon	0.30	0.29	0.48
				Flat Grid with Argon	0.30	0.26	0.43
5520	Awning Window 3/4" IG	Steel	SS EnergyShield / SS Clear	With Argon	0.30	0.24	0.45
				Sculptured Grid with Argon	0.30	0.20	0.36
				Flat Grid with Argon	0.30	0.22	0.40
5520	Awning Window 3/4" IG	Steel	DS EnergyShield / DS Clear	With Argon	0.30	0.24	0.44
				Sculptured Grid with Argon	0.30	0.20	0.36
				Flat Grid with Argon	0.30	0.22	0.40
5520	Awning Window 3/4" IG	Steel	3/16 EnergyShield / 3/16 Clear	With Argon	0.29	0.24	0.43
				Sculptured Grid with Argon	0.30	0.20	0.35
				Flat Grid with Argon	0.30	0.22	0.39
5520	Awning Window 3/4" IG	Steel	SS EnergyShield Xtreme / SS Clear	With Argon	0.30	0.18	0.35
				Sculptured Grid with Argon	0.30	0.15	0.28
				Flat Grid with Argon	0.30	0.17	0.31
5520	Awning Window 3/4" IG	Steel	DS EnergyShield Xtreme / DS Clear	With Argon	0.30	0.18	0.34
				Sculptured Grid with Argon	0.30	0.15	0.28
				Flat Grid with Argon	0.30	0.17	0.31
5520	Awning Window 3/4" IG	Steel	3/16 EnergyShield Xtreme / 3/16 Clear	With Argon	0.29	0.19	0.34
				Sculptured Grid with Argon	0.30	0.15	0.27
				Flat Grid with Argon	0.30	0.17	0.31
5520	Awning Window 3/4" IG	Steel	SS Bronze / SS EnergyShield	With Argon	0.30	0.25	0.36
				Sculptured Grid with Argon	0.30	0.21	0.29
				Flat Grid with Argon	0.30	0.23	0.33

INTERNATIONAL WINDOW CORPORATION

Qualifying Products For Stimulus Tax Credit

Series		Spacer	Type of Glazing		U-Factor	SHGC	Visible Light
5520	Awning Window 3/4" IG	Steel	DS Bronze / DS EnergyShield	With Argon	0.30	0.24	0.33
				Sculptured Grid with Argon	0.30	0.20	0.26
				Flat Grid with Argon	0.30	0.22	0.30
5520	Awning Window 3/4" IG	Steel	3/16 Bronze / 3/16 EnergyShield	With Argon	0.29	0.22	0.28
				Sculptured Grid with Argon	0.30	0.18	0.23
				Flat Grid with Argon	0.30	0.20	0.26
5520	Awning Window 3/4" IG	Steel	SS Grey / SS EnergyShield	With Argon	0.30	0.22	0.30
				Sculptured Grid with Argon	0.30	0.18	0.24
				Flat Grid with Argon	0.30	0.20	0.27
5520	Awning Window 3/4" IG	Steel	DS Grey / DS EnergyShield	With Argon	0.30	0.24	0.33
				Sculptured Grid with Argon	0.30	0.20	0.26
				Flat Grid with Argon	0.30	0.22	0.30
5520	Awning Window 3/4" IG	Steel	3/16 Grey / 3/16 EnergyShield	With Argon	0.29	0.20	0.24
				Sculptured Grid with Argon	0.30	0.17	0.20
				Flat Grid with Argon	0.30	0.18	0.22
5520	Awning Window 3/4" IG	Steel	SS Azuria / SS EnergyShield	With Argon	0.30	0.25	0.40
				Sculptured Grid with Argon	0.30	0.21	0.32
				Flat Grid with Argon	0.30	0.23	0.36
5520	Awning Window 3/4" IG	Steel	DS Azuria / DS EnergyShield	With Argon	0.30	0.23	0.38
				Sculptured Grid with Argon	0.30	0.19	0.30
				Flat Grid with Argon	0.30	0.21	0.34
5520	Awning Window 3/4" IG	Steel	3/16 Azuria / 3/16 EnergyShield	With Argon	0.29	0.22	0.35
				Sculptured Grid with Argon	0.30	0.18	0.28
				Flat Grid with Argon	0.30	0.20	0.31
5520	Awning Window 3/4" IG	Steel	3/16 Solexia / 3/16 EnergyShield	With Argon	0.29	0.23	0.39
				Sculptured Grid with Argon	0.30	0.19	0.31
				Flat Grid with Argon	0.30	0.21	0.35
5520	Awning Window 1" IG	Steel	SS EnergyShield / SS Clear	With Argon	0.30	0.24	0.45
				Sculptured Grid with Argon	0.30	0.20	0.36
				Flat Grid with Argon	0.30	0.22	0.40
5520	Awning Window 1" IG	Steel	DS EnergyShield / DS Clear	With Argon	0.30	0.24	0.44
				Sculptured Grid with Argon	0.30	0.20	0.36
				Flat Grid with Argon	0.30	0.22	0.40
5520	Awning Window 1" IG	Steel	3/16 EnergyShield / 3/16 Clear	With Argon	0.30	0.24	0.43
				Sculptured Grid with Argon	0.30	0.20	0.35
				Flat Grid with Argon	0.30	0.22	0.39
5520	Awning Window 1" IG	Steel	SS EnergyShield Xtreme / SS Clear	With Argon	0.30	0.18	0.35
				Sculptured Grid with Argon	0.30	0.15	0.28
				Flat Grid with Argon	0.30	0.17	0.31
5520	Awning Window 1" IG	Steel	DS EnergyShield Xtreme / DS Clear	With Argon	0.30	0.18	0.34
				Sculptured Grid with Argon	0.30	0.15	0.28
				Flat Grid with Argon	0.30	0.17	0.31
5520	Awning Window 1" IG	Steel	3/16 EnergyShield Xtreme / 3/16 Clear	With Argon	0.29	0.19	0.34
				Sculptured Grid with Argon	0.30	0.15	0.27
				Flat Grid with Argon	0.30	0.17	0.31
5520	Awning Window 1" IG	Steel	SS Bronze / SS EnergyShield	With Argon	0.30	0.25	0.36
				Sculptured Grid with Argon	0.30	0.21	0.29
				Flat Grid with Argon	0.30	0.23	0.33
5520	Awning Window 1" IG	Steel	DS Bronze / DS EnergyShield	With Argon	0.30	0.24	0.33
				Sculptured Grid with Argon	0.30	0.20	0.26
				Flat Grid with Argon	0.30	0.22	0.30
5520	Awning Window 1" IG	Steel	3/16 Bronze / 3/16 EnergyShield	With Argon	0.30	0.22	0.28
				Sculptured Grid with Argon	0.30	0.18	0.23
				Flat Grid with Argon	0.30	0.20	0.26

INTERNATIONAL WINDOW CORPORATION

Qualifying Products For Stimulus Tax Credit

Series		Spacer	Type of Glazing		U-Factor	SHGC	Visible Light
5520	Awning Window 1" IG	Steel	SS Grey / SS EnergyShield	With Argon	0.30	0.22	0.30
				Sculptured Grid with Argon	0.30	0.18	0.24
				Flat Grid with Argon	0.30	0.20	0.27
5520	Awning Window 1" IG	Steel	DS Grey / DS EnergyShield	With Argon	0.30	0.24	0.33
				Sculptured Grid with Argon	0.30	0.20	0.26
				Flat Grid with Argon	0.30	0.22	0.30
5520	Awning Window 1" IG	Steel	3/16 Grey / 3/16 EnergyShield	With Argon	0.30	0.20	0.24
				Sculptured Grid with Argon	0.30	0.17	0.20
				Flat Grid with Argon	0.30	0.18	0.22
5520	Awning Window 1" IG	Steel	SS Azuria / SS EnergyShield	With Argon	0.30	0.25	0.40
				Sculptured Grid with Argon	0.30	0.21	0.32
				Flat Grid with Argon	0.30	0.23	0.36
5520	Awning Window 1" IG	Steel	DS Azuria / DS EnergyShield	With Argon	0.30	0.23	0.38
				Sculptured Grid with Argon	0.30	0.19	0.30
				Flat Grid with Argon	0.30	0.21	0.34
5520	Awning Window 1" IG	Steel	3/16 Azuria / 3/16 EnergyShield	With Argon	0.30	0.22	0.35
				Sculptured Grid with Argon	0.30	0.18	0.28
				Flat Grid with Argon	0.30	0.20	0.31
5520	Awning Window 1" IG	Steel	3/16 Solexia / 3/16 EnergyShield	With Argon	0.30	0.23	0.39
				Sculptured Grid with Argon	0.30	0.19	0.31
				Flat Grid with Argon	0.30	0.21	0.35
5520	7/8" Casement Window	Steel	SS EnergyShield / SS Clear	With Argon	0.30	0.24	0.45
				Sculptured Grid with Argon	0.30	0.20	0.36
				Flat Grid with Argon	0.30	0.22	0.40
5520	Casement Window 7/8" IG	Steel	DS EnergyShield / DS Clear	With Argon	0.30	0.24	0.44
				Sculptured Grid with Argon	0.30	0.20	0.36
				Flat Grid with Argon	0.30	0.22	0.40
5520	Casement Window 7/8" IG	Steel	3/16 EnergyShield / 3/16 Clear	With Argon	0.30	0.24	0.43
				Sculptured Grid with Argon	0.30	0.22	0.39
				Flat Grid with Argon	0.30	0.22	0.39
5520	Casement Window 7/8" IG	Steel	SS EnergyShield Xtreme / SS Clear	With Argon	0.30	0.18	0.35
				Sculptured Grid with Argon	0.30	0.15	0.28
				Flat Grid with Argon	0.30	0.17	0.31
5520	Casement Window 7/8" IG	Steel	DS EnergyShield Xtreme / DS Clear	With Argon	0.30	0.18	0.34
				Sculptured Grid with Argon	0.30	0.15	0.28
				Flat Grid with Argon	0.30	0.17	0.31
5520	Casement Window 7/8" IG	Steel	3/16 EnergyShield Xtreme / 3/16 Clear	With Argon	0.30	0.19	0.34
				Sculptured Grid with Argon	0.30	0.17	0.31
				Flat Grid with Argon	0.30	0.17	0.31
5520	Casement Window 7/8" IG	Steel	SS Bronze / SS EnergyShield	With Argon	0.30	0.25	0.36
				Sculptured Grid with Argon	0.30	0.21	0.29
				Flat Grid with Argon	0.30	0.23	0.33
5520	Casement Window 7/8" IG	Steel	DS Bronze / DS EnergyShield	With Argon	0.30	0.24	0.33
				Sculptured Grid with Argon	0.30	0.20	0.26
				Flat Grid with Argon	0.30	0.22	0.30
5520	Casement Window 7/8" IG	Steel	3/16 Bronze / 3/16 EnergyShield	With Argon	0.30	0.22	0.28
				Sculptured Grid with Argon	0.30	0.20	0.26
				Flat Grid with Argon	0.30	0.20	0.26
5520	Casement Window 7/8" IG	Steel	SS Grey / SS EnergyShield	With Argon	0.30	0.22	0.30
				Sculptured Grid with Argon	0.30	0.18	0.24
				Flat Grid with Argon	0.30	0.20	0.27
5520	Casement Window 7/8" IG	Steel	DS Grey / DS EnergyShield	With Argon	0.30	0.24	0.33
				Sculptured Grid with Argon	0.30	0.20	0.26
				Flat Grid with Argon	0.30	0.22	0.30
5520	Casement Window 7/8" IG	Steel	3/16 Grey / 3/16 EnergyShield	With Argon	0.30	0.20	0.24
				Sculptured Grid with Argon	0.30	0.18	0.22
				Flat Grid with Argon	0.30	0.18	0.22

INTERNATIONAL WINDOW CORPORATION

Qualifying Products For Stimulus Tax Credit

Series		Spacer	Type of Glazing		U-Factor	SHGC	Visible Light
5520	Casement Window 7/8" IG	Steel	SS Azuria / SS EnergyShield	With Argon	0.30	0.25	0.40
				Sculptured Grid with Argon	0.30	0.21	0.32
				Flat Grid with Argon	0.30	0.23	0.36
5520	Casement Window 7/8" IG	Steel	DS Azuria / DS EnergyShield	With Argon	0.30	0.23	0.38
				Sculptured Grid with Argon	0.30	0.19	0.30
				Flat Grid with Argon	0.30	0.21	0.34
5520	Casement Window 7/8" IG	Steel	3/16 Azuria / 3/16 EnergyShield	With Argon	0.30	0.22	0.35
				Flat Grid with Argon	0.30	0.20	0.31
5520	Casement Window 7/8" IG	Steel	3/16 Solexia / 3/16 EnergyShield	With Argon	0.30	0.23	0.39
				Flat Grid with Argon	0.30	0.21	0.35
5520	Casement Window 1" IG	Steel	SS EnergyShield / SS Clear	With Argon	0.30	0.24	0.45
				Sculptured Grid with Argon	0.30	0.20	0.36
				Flat Grid with Argon	0.30	0.22	0.40
5520	Casement Window 1" IG	Steel	DS EnergyShield / DS Clear	With Argon	0.30	0.24	0.44
				Sculptured Grid with Argon	0.30	0.20	0.36
				Flat Grid with Argon	0.30	0.22	0.40
5520	Casement Window 1" IG	Steel	3/16 EnergyShield / 3/16 Clear	With Argon	0.30	0.24	0.43
				Sculptured Grid with Argon	0.30	0.20	0.35
				Flat Grid with Argon	0.30	0.22	0.39
5520	Casement Window 1" IG	Steel	SS EnergyShield Xtreme / SS Clear	With Argon	0.30	0.18	0.35
				Sculptured Grid with Argon	0.30	0.15	0.28
				Flat Grid with Argon	0.30	0.17	0.31
5520	Casement Window 1" IG	Steel	DS EnergyShield Xtreme / DS Clear	With Argon	0.30	0.18	0.34
				Sculptured Grid with Argon	0.30	0.15	0.28
				Flat Grid with Argon	0.30	0.17	0.31
5520	Casement Window 1" IG	Steel	3/16 EnergyShield Xtreme / 3/16 Clear	With Argon	0.30	0.19	0.34
				Sculptured Grid with Argon	0.30	0.15	0.27
				Flat Grid with Argon	0.30	0.17	0.31
5520	Casement Window 1" IG	Steel	SS Bronze / SS EnergyShield	With Argon	0.30	0.25	0.36
				Sculptured Grid with Argon	0.30	0.21	0.29
				Flat Grid with Argon	0.30	0.23	0.33
5520	Casement Window 1" IG	Steel	DS Bronze / DS EnergyShield	With Argon	0.30	0.24	0.33
				Sculptured Grid with Argon	0.30	0.20	0.26
				Flat Grid with Argon	0.30	0.22	0.30
5520	Casement Window 1" IG	Steel	3/16 Bronze / 3/16 EnergyShield	With Argon	0.30	0.22	0.28
				Sculptured Grid with Argon	0.30	0.18	0.23
				Flat Grid with Argon	0.30	0.20	0.26
5520	Casement Window 1" IG	Steel	SS Grey / SS EnergyShield	With Argon	0.30	0.22	0.30
				Sculptured Grid with Argon	0.30	0.18	0.24
				Flat Grid with Argon	0.30	0.20	0.27
5520	Casement Window 1" IG	Steel	DS Grey / DS EnergyShield	With Argon	0.30	0.24	0.33
				Sculptured Grid with Argon	0.30	0.20	0.26
				Flat Grid with Argon	0.30	0.22	0.30
5520	Casement Window 1" IG	Steel	3/16 Grey / 3/16 EnergyShield	With Argon	0.30	0.20	0.24
				Sculptured Grid with Argon	0.30	0.17	0.20
				Flat Grid with Argon	0.30	0.18	0.22
5520	Casement Window 1" IG	Steel	SS Azuria / SS EnergyShield	With Argon	0.30	0.25	0.40
				Sculptured Grid with Argon	0.30	0.21	0.32
				Flat Grid with Argon	0.30	0.23	0.36
5520	Casement Window 1" IG	Steel	DS Azuria / DS EnergyShield	With Argon	0.30	0.23	0.38
				Sculptured Grid with Argon	0.30	0.19	0.30
				Flat Grid with Argon	0.30	0.21	0.34

INTERNATIONAL WINDOW CORPORATION

Qualifying Products For Stimulus Tax Credit

Series		Spacer	Type of Glazing		U-Factor	SHGC	Visible Light				
5520	Casement Window 1" IG	Steel	3/16 Azuria / 3/16 EnergyShield	With Argon	0.30	0.22	0.35				
				Sculptured Grid with Argon	0.30	0.18	0.28				
				Flat Grid with Argon	0.30	0.20	0.31				
5520	Casement Window 1" IG	Steel	3/16 Solexia / 3/16 EnergyShield	With Argon	0.30	0.23	0.39				
				Sculptured Grid with Argon	0.30	0.19	0.31				
				Flat Grid with Argon	0.30	0.21	0.35				
5520	Horizontal Slider 3/4" IG	Steel	SS EnergyShield / SS Clear	With Argon	0.29	0.27	0.51				
				Sculptured Grid with Argon	0.30	0.22	0.40				
				Flat Grid with Argon	0.29	0.25	0.45				
5520	Horizontal Slider 3/4" IG	Steel	DS EnergyShield / DS Clear	With Argon	0.29	0.27	0.51				
				Sculptured Grid with Argon	0.30	0.22	0.40				
				Flat Grid with Argon	0.29	0.25	0.45				
5520	Horizontal Slider 3/4" IG	Steel	SS EnergyShield Xtreme / SS Clear	With Argon	0.29	0.21	0.40				
				Sculptured Grid with Argon	0.30	0.17	0.31				
				Flat Grid with Argon	0.29	0.19	0.35				
5520	Horizontal Slider 3/4" IG	Steel	DS EnergyShield Xtreme / DS Clear	With Argon	0.29	0.21	0.39				
				Sculptured Grid with Argon	0.30	0.17	0.31				
				Flat Grid with Argon	0.29	0.19	0.35				
5520	Horizontal Slider 3/4" IG	Steel	SS Bronze / SS EnergyShield	With Argon	0.29	0.29	0.42				
				Sculptured Grid with Argon	0.30	0.23	0.33				
				Flat Grid with Argon	0.29	0.26	0.37				
5520	Horizontal Slider 3/4" IG	Steel	DS Bronze / DS EnergyShield	With Argon	0.29	0.27	0.38				
				Sculptured Grid with Argon	0.30	0.22	0.29				
				Flat Grid with Argon	0.29	0.24	0.33				
5520	Horizontal Slider 3/4" IG	Steel	SS Grey / SS EnergyShield	With Argon	0.29	0.25	0.34				
				Sculptured Grid with Argon	0.30	0.20	0.27				
				Flat Grid with Argon	0.29	0.23	0.30				
5520	Horizontal Slider 3/4" IG	Steel	DS Grey / DS EnergyShield	With Argon	0.29	0.27	0.38				
				Sculptured Grid with Argon	0.30	0.22	0.29				
				Flat Grid with Argon	0.29	0.24	0.33				
5520	Horizontal Slider 3/4" IG	Steel	SS Azuria / SS EnergyShield	With Argon	0.29	0.28	0.46				
				Sculptured Grid with Argon	0.30	0.23	0.36				
				Flat Grid with Argon	0.29	0.25	0.41				
5520	Horizontal Slider 3/4" IG	Steel	DS Azuria / DS EnergyShield	With Argon	0.29	0.26	0.43				
				Sculptured Grid with Argon	0.30	0.21	0.34				
				Flat Grid with Argon	0.29	0.24	0.39				
5520	Horizontal Slider 3/4" IG	Steel	SS EnergyShield / SS Clear	With Argon	0.30	0.27	0.51				
				Sculptured Grid with Argon	0.30	0.22	0.40				
				Flat Grid with Argon	0.30	0.25	0.45				
5520	Horizontal Slider 3/4" IG	Steel	DS EnergyShield / DS Clear	With Argon	0.30	0.27	0.51				
				Sculptured Grid with Argon	0.30	0.22	0.40				
				Flat Grid with Argon	0.30	0.25	0.45				
5520	Horizontal Slider 3/4" IG	Steel	3/16 EnergyShield / 3/16 Clear	With Argon	0.30	0.27	0.50				
				5520	Horizontal Slider 3/4" IG	Steel	SS EnergyShield Xtreme / SS Clear	With Argon	0.30	0.21	0.40
								Sculptured Grid with Argon	0.30	0.17	0.31
5520	Horizontal Slider 3/4" IG	Steel	DS EnergyShield Xtreme / DS Clear	Flat Grid with Argon	0.30	0.19	0.35				
				With Argon	0.30	0.21	0.39				
				Sculptured Grid with Argon	0.30	0.17	0.31				
5520	Horizontal Slider 3/4" IG	Steel	3/16 EnergyShield Xtreme / 3/16 Clear	Flat Grid with Argon	0.30	0.19	0.35				
				With Argon	0.29	0.21	0.39				
				5520	Horizontal Slider 3/4" IG	Steel	SS Bronze / SS EnergyShield	With Argon	0.30	0.29	0.42
Sculptured Grid with Argon	0.30	0.23	0.33								
5520	Horizontal Slider 3/4" IG	Steel	SS Bronze / SS EnergyShield	Flat Grid with Argon	0.30	0.26	0.37				

INTERNATIONAL WINDOW CORPORATION

Qualifying Products For Stimulus Tax Credit

Series		Spacer	Type of Glazing		U-Factor	SHGC	Visible Light
5520	Horizontal Slider 3/4" IG	Steel	DS Bronze / DS EnergyShield	With Argon	0.30	0.27	0.38
				Sculptured Grid with Argon	0.30	0.22	0.29
				Flat Grid with Argon	0.30	0.24	0.33
5520	Horizontal Slider 3/4" IG	Steel	3/16 Bronze / 3/16 EnergyShield	With Argon	0.30	0.25	0.32
5520	Horizontal Slider 3/4" IG	Steel	SS Grey / SS EnergyShield	With Argon	0.30	0.25	0.34
				Sculptured Grid with Argon	0.30	0.20	0.27
				Flat Grid with Argon	0.30	0.23	0.30
5520	Horizontal Slider 3/4" IG	Steel	DS Grey / DS EnergyShield	With Argon	0.30	0.27	0.38
				Sculptured Grid with Argon	0.30	0.22	0.29
				Flat Grid with Argon	0.30	0.24	0.33
5520	Horizontal Slider 3/4" IG	Steel	3/16 Grey / 3/16 EnergyShield	With Argon	0.30	0.23	0.28
5520	Horizontal Slider 3/4" IG	Steel	SS Azuria / SS EnergyShield	With Argon	0.30	0.28	0.46
				Sculptured Grid with Argon	0.30	0.23	0.36
				Flat Grid with Argon	0.30	0.25	0.41
5520	Horizontal Slider 3/4" IG	Steel	DS Azuria / DS EnergyShield	With Argon	0.30	0.26	0.43
				Sculptured Grid with Argon	0.30	0.21	0.34
				Flat Grid with Argon	0.30	0.24	0.39
5520	Horizontal Slider 3/4" IG	Steel	3/16 Azuria / 3/16 EnergyShield	With Argon	0.30	0.25	0.40
5520	Horizontal Slider 3/4" IG	Steel	3/16 Solexia / 3/16 EnergyShield	With Argon	0.30	0.26	0.44
5520	Picture Window 3/4" IG	Steel	SS EnergyShield / SS Clear	With Argon	0.27	0.30	0.58
				Sculptured Grid with Argon	0.29	0.25	0.46
				Flat Grid with Argon	0.27	0.28	0.52
5520	Picture Window 3/4" IG	Steel	DS EnergyShield / DS Clear	With Argon	0.27	0.30	0.57
				Sculptured Grid with Argon	0.29	0.25	0.46
				Flat Grid with Argon	0.27	0.27	0.51
5520	Picture Window 3/4" IG	Steel	3/16 EnergyShield / 3/16 Clear	With Argon	0.29	0.30	0.56
				Flat Grid with Argon	0.29	0.27	0.50
5520	Picture Window 3/4" IG	Steel	SS EnergyShield Xtreme / SS Clear	With Argon	0.27	0.23	0.45
				Sculptured Grid with Argon	0.28	0.19	0.36
				Flat Grid with Argon	0.27	0.21	0.41
5520	Picture Window 3/4" IG	Steel	DS EnergyShield Xtreme / DS Clear	With Argon	0.27	0.23	0.45
				Sculptured Grid with Argon	0.28	0.19	0.36
				Flat Grid with Argon	0.27	0.21	0.40
5520	Picture Window 3/4" IG	Steel	3/16 EnergyShield Xtreme / 3/16 Clear	With Argon	0.29	0.23	0.44
				Flat Grid with Argon	0.29	0.21	0.40
5520	Picture Window 3/4" IG	Steel	SS Bronze / SS EnergyShield	Sculptured Grid with Argon	0.29	0.27	0.38
				Flat Grid with Argon	0.27	0.30	0.42
5520	Picture Window 3/4" IG	Steel	DS Bronze / DS EnergyShield	With Argon	0.27	0.30	0.43
				Sculptured Grid with Argon	0.29	0.25	0.34
				Flat Grid with Argon	0.27	0.28	0.38
5520	Picture Window 3/4" IG	Steel	3/16 Bronze / 3/16 EnergyShield	With Argon	0.29	0.28	0.37
				Flat Grid with Argon	0.29	0.25	0.33
5520	Picture Window 3/4" IG	Steel	SS Grey / SS EnergyShield	With Argon	0.27	0.28	0.39
				Sculptured Grid with Argon	0.29	0.23	0.31
				Flat Grid with Argon	0.27	0.26	0.35
5520	Picture Window 3/4" IG	Steel	DS Grey / DS EnergyShield	With Argon	0.27	0.30	0.43
				Sculptured Grid with Argon	0.29	0.25	0.34
				Flat Grid with Argon	0.27	0.28	0.38
5520	Picture Window 3/4" IG	Steel	3/16 Grey / 3/16 EnergyShield	With Argon	0.29	0.26	0.32
				Flat Grid with Argon	0.29	0.23	0.29
5520	Picture Window 3/4" IG	Steel	SS Azuria / SS EnergyShield	Sculptured Grid with Argon	0.29	0.26	0.42
				Flat Grid with Argon	0.27	0.29	0.47

INTERNATIONAL WINDOW CORPORATION

Qualifying Products For Stimulus Tax Credit

Series		Spacer	Type of Glazing		U-Factor	SHGC	Visible Light
5520	Picture Window 3/4" IG	Steel	DS Azuria / DS EnergyShield	With Argon	0.27	0.30	0.50
				Sculptured Grid with Argon	0.29	0.24	0.39
				Flat Grid with Argon	0.27	0.27	0.44
5520	Picture Window 3/4" IG	Steel	3/16 Azuria / 3/16 EnergyShield	With Argon	0.29	0.28	0.46
				Flat Grid with Argon	0.29	0.25	0.41
5520	Picture Window 3/4" IG	Steel	3/16 Solexia / 3/16 EnergyShield	With Argon	0.29	0.30	0.50
				Flat Grid with Argon	0.29	0.27	0.45
5520	Picture Window 7/8" IG	Steel	SS EnergyShield / SS Clear	With Argon	0.28	0.30	0.58
				Sculptured Grid with Argon	0.28	0.25	0.46
				Flat Grid with Argon	0.28	0.28	0.52
5520	Picture Window 7/8" IG	Steel	DS EnergyShield / DS Clear	With Argon	0.28	0.30	0.57
				Sculptured Grid with Argon	0.28	0.25	0.46
				Flat Grid with Argon	0.28	0.27	0.51
5520	Picture Window 7/8" IG	Steel	3/16 EnergyShield / 3/16 Clear	With Argon	0.27	0.30	0.56
				Sculptured Grid with Argon	0.29	0.24	0.45
				Flat Grid with Argon	0.27	0.27	0.50
5520	Picture Window 7/8" IG	Steel	SS EnergyShield Xtreme / SS Clear	With Argon	0.28	0.23	0.45
				Sculptured Grid with Argon	0.28	0.19	0.36
				Flat Grid with Argon	0.28	0.21	0.41
5520	Picture Window 7/8" IG	Steel	DS EnergyShield Xtreme / DS Clear	With Argon	0.28	0.23	0.45
				Sculptured Grid with Argon	0.28	0.19	0.36
				Flat Grid with Argon	0.28	0.21	0.40
5520	Picture Window 7/8" IG	Steel	3/16 EnergyShield Xtreme / 3/16 Clear	With Argon	0.27	0.23	0.44
				Sculptured Grid with Argon	0.29	0.19	0.35
				Flat Grid with Argon	0.27	0.21	0.40
5520	Picture Window 7/8" IG	Steel	SS Bronze / SS EnergyShield	Sculptured Grid with Argon	0.28	0.27	0.38
				Flat Grid with Argon	0.28	0.30	0.42
5520	Picture Window 7/8" IG	Steel	DS Bronze / DS EnergyShield	With Argon	0.28	0.30	0.43
				Sculptured Grid with Argon	0.28	0.25	0.34
				Flat Grid with Argon	0.28	0.28	0.38
5520	Picture Window 7/8" IG	Steel	3/16 Bronze / 3/16 EnergyShield	With Argon	0.27	0.28	0.37
				Sculptured Grid with Argon	0.29	0.23	0.30
				Flat Grid with Argon	0.27	0.25	0.33
5520	Picture Window 7/8" IG	Steel	SS Grey / SS EnergyShield	With Argon	0.28	0.28	0.39
				Sculptured Grid with Argon	0.28	0.23	0.31
				Flat Grid with Argon	0.28	0.26	0.35
5520	Picture Window 7/8" IG	Steel	DS Grey / DS EnergyShield	With Argon	0.28	0.30	0.43
				Sculptured Grid with Argon	0.28	0.25	0.34
				Flat Grid with Argon	0.28	0.28	0.38
5520	Picture Window 7/8" IG	Steel	3/16 Grey / 3/16 EnergyShield	With Argon	0.27	0.26	0.32
				Sculptured Grid with Argon	0.29	0.21	0.25
				Flat Grid with Argon	0.27	0.23	0.29
5520	Picture Window 7/8" IG	Steel	SS Azuria / SS EnergyShield	Sculptured Grid with Argon	0.28	0.26	0.42
				Flat Grid with Argon	0.28	0.29	0.47
5520	Picture Window 7/8" IG	Steel	DS Azuria / DS EnergyShield	With Argon	0.28	0.30	0.50
				Sculptured Grid with Argon	0.28	0.24	0.39
				Flat Grid with Argon	0.28	0.27	0.44
5520	Picture Window 7/8" IG	Steel	3/16 Azuria / 3/16 EnergyShield	With Argon	0.27	0.28	0.46
				Sculptured Grid with Argon	0.29	0.23	0.36
				Flat Grid with Argon	0.27	0.25	0.41
5520	Picture Window 7/8" IG	Steel	3/16 Solexia / 3/16 EnergyShield	With Argon	0.27	0.30	0.50
				Sculptured Grid with Argon	0.29	0.24	0.40
				Flat Grid with Argon	0.27	0.27	0.45

INTERNATIONAL WINDOW CORPORATION

Qualifying Products For Stimulus Tax Credit

Series	Spacer	Type of Glazing	U-Factor	SHGC	Visible Light	
5520 Single Hung Window 3/4" IG	Steel	SS EnergyShield / SS Clear	With Argon	0.30	0.27	0.51
5520 Single Hung Window 3/4" IG	Steel	DS EnergyShield / DS Clear	With Argon	0.30	0.27	0.51
5520 Single Hung Window 3/4" IG	Steel	SS EnergyShield Xtreme / SS Clear	With Argon	0.29	0.21	0.40
			Sculptured Grid with Argon	0.30	0.17	0.31
5520 Single Hung Window 3/4" IG	Steel	DS EnergyShield Xtreme / DS Clear	With Argon	0.29	0.21	0.39
			Sculptured Grid with Argon	0.30	0.17	0.31
5520 Single Hung Window 3/4" IG	Steel	SS Bronze / SS EnergyShield	With Argon	0.30	0.29	0.42
5520 Single Hung Window 3/4" IG	Steel	DS Bronze / DS EnergyShield	With Argon	0.30	0.27	0.38
5520 Single Hung Window 3/4" IG	Steel	SS Grey / SS EnergyShield	With Argon	0.30	0.25	0.34
5520 Single Hung Window 3/4" IG	Steel	DS Grey / DS EnergyShield	With Argon	0.30	0.27	0.38
5520 Single Hung Window 3/4" IG	Steel	SS Azuria / SS EnergyShield	With Argon	0.30	0.28	0.46
5520 Single Hung Window 3/4" IG	Steel	DS Azuria / DS EnergyShield	With Argon	0.30	0.26	0.43
5520 Single Hung Window 7/8" IG	Steel	SS EnergyShield / SS Clear	With Argon	0.30	0.27	0.51
			Sculptured Grid with Argon	0.30	0.22	0.40
			Flat Grid with Argon	0.30	0.25	0.45
5520 Single Hung Window 7/8" IG	Steel	DS EnergyShield / DS Clear	With Argon	0.30	0.27	0.51
			Sculptured Grid with Argon	0.30	0.22	0.40
			Flat Grid with Argon	0.30	0.25	0.45
5520 Single Hung Window 7/8" IG	Steel	3/16 EnergyShield / 3/16 Clear	With Argon	0.30	0.27	0.50
5520 Single Hung Window 7/8" IG	Steel	SS EnergyShield Xtreme / SS Clear	With Argon	0.30	0.21	0.40
			Sculptured Grid with Argon	0.30	0.17	0.31
			Flat Grid with Argon	0.30	0.19	0.35
5520 Single Hung Window 7/8" IG	Steel	DS EnergyShield Xtreme / DS Clear	With Argon	0.30	0.21	0.39
			Sculptured Grid with Argon	0.30	0.17	0.31
			Flat Grid with Argon	0.30	0.19	0.35
5520 Single Hung Window 7/8" IG	Steel	3/16 EnergyShield Xtreme / 3/16 Clear	With Argon	0.29	0.21	0.39
5520 Single Hung Window 7/8" IG	Steel	SS Bronze / SS EnergyShield	With Argon	0.30	0.29	0.42
			Sculptured Grid with Argon	0.30	0.23	0.33
			Flat Grid with Argon	0.30	0.26	0.37
5520 Single Hung Window 7/8" IG	Steel	DS Bronze / DS EnergyShield	With Argon	0.30	0.27	0.38
			Sculptured Grid with Argon	0.30	0.22	0.29
			Flat Grid with Argon	0.30	0.24	0.33
5520 Single Hung Window 7/8" IG	Steel	3/16 Bronze / 3/16 EnergyShield	With Argon	0.30	0.25	0.32
5520 Single Hung Window 7/8" IG	Steel	SS Grey / SS EnergyShield	With Argon	0.30	0.25	0.34
			Sculptured Grid with Argon	0.30	0.20	0.27
			Flat Grid with Argon	0.30	0.23	0.30
5520 Single Hung Window 7/8" IG	Steel	DS Grey / DS EnergyShield	With Argon	0.30	0.27	0.38
			Sculptured Grid with Argon	0.30	0.22	0.29
			Flat Grid with Argon	0.30	0.24	0.33
5520 Single Hung Window 7/8" IG	Steel	3/16 Grey / 3/16 EnergyShield	With Argon	0.30	0.23	0.28
5520 Single Hung Window 7/8" IG	Steel	SS Azuria / SS EnergyShield	With Argon	0.30	0.28	0.46
			Sculptured Grid with Argon	0.30	0.23	0.36
			Flat Grid with Argon	0.30	0.25	0.41
5520 Single Hung Window 7/8" IG	Steel	DS Azuria / DS EnergyShield	With Argon	0.30	0.26	0.43
			Sculptured Grid with Argon	0.30	0.21	0.34
			Flat Grid with Argon	0.30	0.24	0.39
5520 Single Hung Window 7/8" IG	Steel	3/16 Azuria / 3/16 EnergyShield	With Argon	0.30	0.25	0.40
5520 Single Hung Window 7/8" IG	Steel	3/16 Solexia / 3/16 EnergyShield	With Argon	0.30	0.26	0.44
8220 Picture Window 1" IG	Super	SS EnergyShield / SS Clear	Sculptured Grid with Argon	0.30	0.28	0.52
8220 Picture Window 1" IG	Super	DS EnergyShield / DS Clear	Sculptured Grid with Argon	0.30	0.28	0.52
8220 Picture Window 1" IG	Super	3/16 EnergyShield / 3/16 Clear	Sculptured Grid with Argon	0.30	0.28	0.51

INTERNATIONAL WINDOW CORPORATION

Qualifying Products For Stimulus Tax Credit

Series	Spacer	Type of Glazing		U-Factor	SHGC	Visible Light
8220 Picture Window 1" IG	Super	SS EnergyShield Xtreme / SS Clear	With Argon	0.30	0.26	0.50
			Sculptured Grid with Argon	0.30	0.21	0.41
			Flat Grid with Argon	0.30	0.24	0.45
8220 Picture Window 1" IG	Super	DS EnergyShield Xtreme / DS Clear	With Argon	0.30	0.26	0.50
			Sculptured Grid with Argon	0.30	0.21	0.40
			Flat Grid with Argon	0.30	0.24	0.45
8220 Picture Window 1" IG	Super	3/16 EnergyShield Xtreme / 3/16 Clear	With Argon	0.30	0.26	0.49
			Sculptured Grid with Argon	0.30	0.22	0.40
			Flat Grid with Argon	0.30	0.24	0.44
8220 Picture Window 1" IG	Super	SS Bronze / SS EnergyShield	Sculptured Grid with Argon	0.30	0.30	0.42
8220 Picture Window 1" IG	Super	DS Bronze / DS EnergyShield	Sculptured Grid with Argon	0.30	0.28	0.38
8220 Picture Window 1" IG	Super	3/16 Bronze / 3/16 EnergyShield	Sculptured Grid with Argon	0.30	0.25	0.33
			Flat Grid with Argon	0.30	0.28	0.37
8220 Picture Window 1" IG	Super	SS Grey / SS EnergyShield	Sculptured Grid with Argon	0.30	0.26	0.35
			Flat Grid with Argon	0.30	0.29	0.39
8220 Picture Window 1" IG	Super	DS Grey / DS EnergyShield	Sculptured Grid with Argon	0.30	0.28	0.38
8220 Picture Window 1" IG	Super	3/16 Grey / 3/16 EnergyShield	With Argon	0.30	0.28	0.35
			Sculptured Grid with Argon	0.30	0.23	0.29
			Flat Grid with Argon	0.30	0.26	0.32
8220 Picture Window 1" IG	Super	SS Azuria / SS EnergyShield	Sculptured Grid with Argon	0.30	0.29	0.47
8220 Picture Window 1" IG	Super	DS Azuria / DS EnergyShield	Sculptured Grid with Argon	0.30	0.27	0.44
			Flat Grid with Argon	0.30	0.30	0.49
8220 Picture Window 1" IG	Super	3/16 Azuria / 3/16 EnergyShield	Sculptured Grid with Argon	0.30	0.25	0.41
			Flat Grid with Argon	0.30	0.28	0.46
8220 Picture Window 1" IG	Super	3/16 Solexia / 3/16 EnergyShield	Sculptured Grid with Argon	0.30	0.27	0.45
			Flat Grid with Argon	0.30	0.30	0.50

INTERNATIONAL WINDOW CORPORATION

Qualifying Products For Stimulus Tax Credit

Series	Spacer	Type of Glazing	U-Factor	SHGC	Visible Light	
5820 Sliding Door 3/4" IG	Steel	DS EnergyShield / DS Clear	Flat Grid with Argon	0.29	0.27	0.51
5820 Sliding Door 3/4" IG	Steel	DS EnergyShield Xtreme / DS Clear	With Argon	0.29	0.24	0.45
			Flat Grid with Argon	0.29	0.21	0.40
5820 Sliding Door 3/4" IG	Steel	3/16 EnergyShield Xtreme / 3/16 Clear	With Argon	0.30	0.24	0.45
5820 Sliding Door 3/4" IG	Steel	DS Bronze / DS EnergyShield	With Argon	0.29	0.27	0.38
5820 Sliding Door 3/4" IG	Steel	3/16 Bronze / 3/16 EnergyShield	With Argon	0.30	0.28	0.37
5820 Sliding Door 3/4" IG	Steel	DS Grey / DS EnergyShield	Flat Grid with Argon	0.29	0.27	0.38
5820 Sliding Door 3/4" IG	Steel	3/16 Grey / 3/16 EnergyShield	With Argon	0.30	0.26	0.32
5820 Sliding Door 3/4" IG	Steel	DS Azuria / DS EnergyShield	With Argon	0.29	0.30	0.50
			Flat Grid with Argon	0.29	0.27	0.44
5820 Sliding Door 3/4" IG	Steel	3/16 Azuria / 3/16 EnergyShield	With Argon	0.30	0.28	0.46
5820 Sliding Door 3/4" IG	Steel	3/16 Solexia / 3/16 EnergyShield	With Argon	0.30	0.30	0.51
5920 Sliding Door 3/4" IG	Steel	DS EnergyShield / DS Clear	With Argon	0.30	0.30	0.57
			Flat Grid with Argon	0.30	0.27	0.50
5920 Sliding Door 3/4" IG	Steel	DS EnergyShield Xtreme / DS Clear	With Argon	0.30	0.23	0.44
			Flat Grid with Argon	0.30	0.20	0.39
5920 Sliding Door 3/4" IG	Steel	DS Bronze / DS EnergyShield	With Argon	0.30	0.30	0.42
			Flat Grid with Argon	0.30	0.26	0.37
5920 Sliding Door 3/4" IG	Steel	DS Grey / DS EnergyShield	With Argon	0.30	0.30	0.42
			Flat Grid with Argon	0.30	0.26	0.37
5920 Sliding Door 3/4" IG	Steel	DS Azuria / DS EnergyShield	With Argon	0.30	0.29	0.49
			Flat Grid with Argon	0.30	0.26	0.43

U-Value is the overall coefficient of heat transmittance of heat flow measured in BTU/hr. • ft² • °F. Lower U-Values indicate better performance. Winter nighttime U-Values are calculated using an outdoor air temperature of 0°F and indoor air temperature of 70°F.

Solar Heat Gain Coefficient is defined as that fraction of incident solar radiation that actually enters a building through the window as heat gain. The SHGC is expressed as a dimensionless number from 0 to 1.0 A high coefficient signifies high heat gain, while a low number means low heat gain.

Visible Transmittance is the amount of light in the visible portion of the spectrum that passes through a glazing material. This property does not directly affect heating and cooling loads in a building.

IG = Insulating Glass
 SS = Single Strength
 DS = Double Strength